



ADDENDUM TO THE INVITATION TO BID  
CITY OF FORT WORTH  
PURCHASING DIVISION

ADDENDUM NO. 3

DATE ISSUED: January 7, 2010

BID NUMBER: 09-0203

BID TITLE: TRAFFIC MARKING MATERIALS AND SERVICES

ORIGINAL BID OPENING DATE: January 7, 2010

NEW BID OPENING DATE: **January 21, 2010**

BID NUMBER 09-0203 issued January 7, 2010 is hereby amended as follows:

1. Detail Specifications for Traffic Markings Material and Services, Section 2.0, subsection 2.3: the second paragraph numbered as 2.3 shall be changed to 2.4 and the first shall be changed to read as follows:

This agreement will include installing and removing pavement markings with spray and extruded thermoplastic, pre-formed tape and raised markers. Specifications for these application methods are outlined in subsequent sections of this bid document.

2. Detail Specifications for Traffic Markings Material and Services, Section 3.0, subsection 3.1 shall be changed to read as follows:

This method will be used to install and replace long lines—centerlines, lane lines, edge lines, turn lanes, dots (chicken tracks)--and will be applied at a minimum 0.090 in thickness. Sealer shall be applied to concrete-roadway surfaces when applying markings with hot-applied spray or extruded thermoplastic.

3. Detail Specifications for Traffic Markings Material and Services, Section 3.0, subsection 3.4 shall be changed to read as follows:

Dots (chicken tracks) shall be one foot of line followed by a two-foot space. Bid shall be for the entire length of the line, including the unmarked area.

4. Detail Specifications for Traffic Markings Material and Services, Section 3.0, subsection 3.7 shall be changed to read as follows:

The reflectorized raised markers shall meet the material and installation specifications for raised markers in Section 5.5 of this Detail Specification.

5. Detail Specifications for Traffic Markings Material and Services, Section 3.0, subsection 3.15 shall be changed to read as follows:

The traffic beads shall comply with **TXDOT DMS – 8290 (Aug 2004)**.

6. Detail Specifications for Traffic Markings Material and Services, Section 3.0, subsection 3.16 shall be deleted.

7. Detail Specifications for Traffic Markings Material and Services, Section 4.0, subsection 4.4 shall be changed to read as follows:

The thickness shall be uniform throughout the length and width of the markings. The minimum thickness of the marking, as measured above the plane formed by the pavement surface, shall not be less than 0.125 in. in the center of the marking and 0.095 in. at a distance of 0.50 in. from the edge. Maximum thickness shall be 0.188 in.

8. Detail Specifications for Traffic Markings Material and Services, Section 4.0, subsection 4.5 shall be changed to read as follows:

Upon request, the Contractor shall supply a device, suitable to the Contract Manager, to measure the thickness of the applied extruded markings. If installation is a new initial installation, a sample of applied material on a test surface may be required from the installer.

9. Detail Specifications for Traffic Markings Material and Services, Section 4.0, subsection 4.10 shall be deleted.

10. Detail Specifications for Traffic Markings Material and Services, Section 5.0, subsection 5.4 shall be changed to read as follows:

The material shall meet or exceed the specifications for 3M High Performance Tape Series 380 I ES.

11. Detail Specifications for Traffic Markings Material and Services, Section 5.0, subsection 5.6 shall be deleted.

12. Detail Specifications for Traffic Markings Material and Services, Section 6.0, subsection 6.1 shall be changed to read as follows:

This material will be used to install and replace crosswalks, stoplines and legends. Sealer shall be applied to concrete-roadway surfaces when applying markings with hot-applied spray or extruded thermoplastic.

13. Detail Specifications for Traffic Markings Material and Services, Section 6.0, subsection 6.2 shall be changed to read as follows:

The material used shall meet or exceed Texas Department of Transportation (TxDOT) specifications for Permanent Prefabricated Pavement Markings DMS – 8240 Type C (August 2004).

14. Detail Specifications for Traffic Markings Material and Services, Section 7.0, subsection 7.10 shall be changed to read as follows:

Reflectorized raised markers will also supplement long-lines applied with spray thermoplastic as indicated in Section 3.0

15. Detail Specifications for Traffic Markings Material and Services, Section 8.0, subsection 8.6 shall be changed to read as follows:

All markers shall be installed with epoxy adhesive. Bituminous adhesive is only acceptable for application on new/fresh asphalt pavement.

16. Detail Specifications for Traffic Markings Material and Services, Section 8.0, subsection 8.9 shall be changed to read as follows:

When installing pavement markings, it will be necessary to remove temporary markers.

17. Detail Specifications for Traffic Markings Material and Services, Section 9.0, subsection 9.7 shall be changed to read as follows:

The assigned work must be **completed within 28 days of receipt of order**. The Contractor **shall begin** on the assigned work order **within 14 days of receipt** and the work **shall be completed within 14 days** unless otherwise agreed upon by the Contract Manager. The Contract Manager may use discretion to deduct bad weather days from the assigned work time period.

18. Detail Specifications for Traffic Markings Material and Services, Section 12.0, subsection 12.2 shall be changed to read as follows:

A sample of materials and/or equipment required for installation should be provided free of charge to the City of Fort Worth.


19. Detail Specifications for Traffic Markings Material and Services, Section 16.0, is not applicable to this bid request.

20. Detail Specifications for Traffic Markings Material and Services, Section 17.0, is not applicable to this bid request.

21. Incorporate in full text, Revised Bid Sheet (attached) Page 1A to the solicitation

22. Bidders are required to acknowledge this addendum by signature and submit with the bid due January 21, 2010.

All other terms and conditions remain unchanged.

*ben*   
**JACK DALE, C.P.M., CPPB**  
**PURCHASING MANAGER**



COMPANY NAME: \_\_\_\_\_

SIGNATURE: \_\_\_\_\_

**\*NOTE: Company name and signature must be the same as on the bid documents.**